



Polar Seal Factory Outlet In - Stock Products:

All stock Patio Doors have double paned - double strength Low E and Argon, 7/8" Insulated glass units with SuperSpacer®. Standard heavy duty extruded aluminum screen frame with fiberglass screen wire, matching inside handle, key lock and toe lock. Nailing Fin option is available at no extra charge.

Stock Patio Door Sizes		
Rough Opening	Tip - to - Tip Frame Size	
5'0" x 6'8"	59 1/4" x 79 1/2 "	White
		Tan
		Earthtone
6'0" x 6'8"	70 1/2 " x 79 1/2 "	White
		Tan
		Earthtone
8'0" x 6'8"	94 1/2 " x 79 1/2 "	White
		Tan
		Earthtone

Specialty Stock Windows		
Style / Rough Opening Size	Tip -to - Tip Frame Size	LIST Price
		CLEAR
Basement Hopper - Bottom Hinge 32 x 14 with nail fin extruded onto frame <u>Clear</u> Glass OR LOW E ARGON	31 3/4 x 13 3/4	OR LOW E ARGON
Egress Casement 29 3/4 x 48 1/4 No nail fin <u>Low E / Argon</u> Glass	29 1/2 x 48 **	NO FIN
		OR WITH FIN



Polar Seal Factory Outlet In - Stock
 Products: **Royal Seal Windows - LIST**

All stock Royal Seal windows are white, have double paned double strength Low E and Argon 7/8" Insulated glass units with SuperSpacer®, and come standard with an extruded aluminum screen frame and alodized aluminum screen wire. LEAD TIMES MAY VARY DEPENDING ON INVENTORY LEVELS. IF TIMING IS AN ISSUE, PLEASE CALL FIRST TO DETERMINE AVAILABILITY

Royal Seal Double Hungs

Rough Opening Size	Tip-to-Tip window size	WITH NAIL FIN	WITHOUT NAIL FIN
36 1/4 x 66 1/4	36 X 66**		
40 1/4 x 60 1/4	40 X 60**		
36 x 60	35 3/4 X 59 3/4		
28 x 48	27 3/4 X 47 3/4		
24 x 36	23 3/4 X 35 3/4		

Royal Seal 2 - Lite Sliders

Rough Opening Size	Tip-to-Tip window size	WITH NAIL FIN	WITHOUT NAIL FIN
52 1/4 x 46 1/4	52 x 46**		
60 x 48	59 3/4 x 47 3/4**		
48 x 48	47 3/4 x 47 3/4		
36 x 36	35 3/4 x 35 3/4		
36 x 24	35 3/4 x 23 3/4		

** Egress size meets BOCA requirements grade floor and above



Polar Seal Factory Outlet In-Stock Products:
VINYLINE (Single Series) LIST

All Stock Vinylines are white, come with nailing fin extruded onto main frame, have double paned double strength Low E and Argon 3/4" Insulated glass units equipped with SuperSpacer®, and come standard with an extruded aluminum screen frame and alodized aluminum screen wire.

Vinylite Single Hungs

Rough Opening Size	Tip - to - Tip Window Size
39 x 60 **	38 3/4 x 59 3/4
36 x 48	35 3/4 x 47 3/4
36 x 36	35 3/4 x 35 3/4
32 x 53	31 3/4 x 52 3/4
30 x 48	29 3/4 x 47 3/4
28 x 53	27 3/4 x 52 3/4
24 x 36	23 3/4 x 35 3/4

Vinylite Single Sliders

Rough Opening Size	Tip - to - Tip Window Size
60 x 48 **	59 3/4 x 47 3/4
48 x 60**	47 3/4 x 59 3/4
48 x 48**	47 3/4 x 47 3/4
48 x 36	47 3/4 x 35 3/4
36 x 48	35 3/4 x 47 3/4
36 x 36	35 3/4 x 35 3/4
36 x 24	35 3/4 x 23 3/4

** Egress size meets BOCA requirements grade floor and above